



NOTES:

1. OPTIONAL: CAST MATCHING GRANULES IN LIQUA PLY FLASHING OR LIQUA-PLY FINISH.
2. DETAIL DEPICTS THE WEATHERPROOFING PROTECTION AND DOES NOT REPRESENT THE STACK OR COUNTER FLASHING DESIGN.

PRIME SURFACE IF REQUIRED

APPROPRIATE SEALANT (E.G., POLYURETHANE)

DRAWBAND

TOP COAT - LIQUA PLY FLASHING OR LIQUA PLY FINISH

USP POLYFORCEMENT OR REMAT 100 TARGET SHEET SET IN AND COVERED WITH LIQUA PLY FLASHING

USP POLYFORCEMENT OR USP REMAT 100 FINGER WRAP SET IN LIQUA-PLY FLASHING BASE COAT

BASE COAT - LIQUA PLY FLASHING

MODIFIED BITUMEN MEMBRANE

COMPATIBLE SEALANT

This detail is furnished "as is" and "as available" and for information only and as a guide for use in conjunction with U.S. Ply products with applicable construction conditions. All dimensions shown are sheet specific; do not scale off of drawing. All details must be checked by the user's designer, architect or engineer to ensure that design is adequate for intended use. Any alterations made to this detail become the design of the user and shall neither be assumed nor construed as U.S. Ply's design. U.S. Ply will not be liable for damages of any kind arising from the use of this website, and/or details, including direct, indirect, incidental, consequential and punitive damages.



U.S. PLY, INC.

Pioneered with performance in mind... Engineered to stand the test of time.

TITLE:
LIQUA-PLY FLASHING AT SHEET METAL STACK VENT

DATE: 05-14-2004	SCALE: N.T.S.
REVISIONS: 01-31-2011	DFTG-29