




PLYFAST™

Fastener Information Guide






U.S. PLY, INC.



Pioneered with performance in mind... Engineered to stand the test of time.





#12 Fasteners








	<p>PlyFast #12 Fastener</p>	<p><i>#12 Phillips Drive Deck Fastener</i></p>	<p>1-5/8", 2-1/4", 2-7/8", 3-1/4", 3-3/4", 4-1/2", 5", 6", 7", 8"</p>
	<p>PlyFast #12 Hex Fastener</p>	<p><i>#12 Hex Drive Deck Fastener</i></p>	<p>1-5/8", 2-1/4", 2-7/8", 3-1/4", 3-3/4", 4-1/2", 5", 6", 7", 8"</p>
	<p>PlyFast #12 Belted Fastener</p>	<p><i>#12 Phillips Deck Fastener Belted</i></p>	<p>2-1/4", 2-7/8", 3-1/4", 3-3/4", 4-1/2", 5", 6", 7", 8"</p>








#14 Fasteners








	<p>PlyFast #14 Fastener</p>	<p><i>#14 Phillips Drive Deck Fastener</i></p>	<p>1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 7", 8", 9", 10", 11", 12", 14", 16"</p>
	<p>PlyFast #14 Thermal Break Fastener</p>	<p><i>#14 TORX® Drive Deck Fastener</i></p>	<p>2-3/8", 4", 6", 8"</p>

#15 Fasteners








	<p>PlyFast #15 Fastener</p>	<p><i>#15 Phillips Drive Deck Fastener</i></p>	<p>1-1/4", 2", 3", 4", 5", 6", 7", 8", 9", 10", 11"</p>
	<p>PlyFast #15 Belted Fastener</p>	<p><i>#15 Phillips Drive Deck Fastener Belted</i></p>	<p>2", 3", 4", 5", 6", 7", 8", 9"</p>









Stainless Steel Fasteners			
	PlyFast #12 SS Fastener	<i>#12 Phillips Drive Stainless Steel Deck Fastener</i>	1-5/8", 2-1/4", 2-7/8", 3-1/4", 3-3/4", 4-1/2", 5", 6", 7", 8"
	PlyFast #14 SS Fastener	<i>#14 Phillips Drive 410 Stainless Steel Deck Fastener</i>	1-1/2", 2", 3", 4", 5", 6", 7", 8", 9", 10", 11", 12"
Pre-Assembles			
	PlyFast #12 ASAP	<i>#12 Phillips Deck Fastener Pre-assembled to 3" Round Metal Plate</i>	1-5/8", 2-1/4", 2-7/8", 3-1/4", 3-3/4", 4-1/2", 5", 6", 7", 8"
	PlyFast #12 Hex ASAP	<i>#12 Hex Deck Fastener Pre-assembled to 3" Round Metal Plate</i>	1-5/8", 2-1/4", 2-7/8", 3-1/4", 3-3/4", 4-1/2", 5", 6", 7", 8"
	PlyFast #12 Plastic ASAP	<i>#12 Phillips Deck Fastener Pre-assembled to 3" Round Plastic Plate</i>	1-5/8", 2-1/4", 2-7/8", 3-1/4", 3-3/4", 4-1/2", 5", 6", 7", 8"
	PlyFast #14 ASAP	<i>#14 Phillips Deck Fastener Pre-assembled to 3" Round Metal Plate</i>	2", 3", 4", 5", 6", 7", 8", 9", 10", 11", 12"
	PlyFast #14 Plastic ASAP	<i>#14 Phillips Deck Fastener Pre-assembled to 3" Round Plastic Plate</i>	2", 3", 4", 5", 6", 7", 8", 9", 10", 11", 12"

Base Ply Fasteners			
	PlyFast 1.2 Base Ply Fastener	<i>1.2" Base Sheet Fastener</i>	1.2"
	PlyFast 1.7 Base Ply Fastener	<i>1.7" Base Sheet Fastener</i>	1.7"
	PlyFast 2X Base Ply Fastener	<i>Double-legged Base Sheet Fastener</i>	1.7"
	PlyFast Double Lock Nail	<i>Twin Lock Spreading Nail</i>	1.4", 1.8", 2.8", 3.8", 4.8"
Concrete Fasteners			
	PlyFast Concrete Fluted Nail	<i>Fluted Concrete Nail</i>	1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 7", 8", 9", 10", 11", 12"
	PlyFast Concrete Spike	<i>1/4" Nail-in Concrete Spike</i>	1-1/4", 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 6-1/2", 7", 7-1/2", 8", 9", 10", 11", 12", 13", 14"
Nailin Fasteners			
	PlyFast Nylon Nailin	<i>Nylon Nailin Anchor</i>	1", 1-1/4", 1-1/2", 2", 3"

Nailin Fasteners (cont.)			
	PlyFast Zmac Nailin	<i>Zamac Nailin Anchor</i>	7/8", 1", 1-1/4", 1-1/2", 2"
Specialty Fasteners/Plates			
	PlyFast #21 Fastener	<i>#21 Deck Fastener</i>	2", 3", 4", 5", 6", 7", 8", 10"
	PlyFast 2" GYPTEK Plate	<i>2" Barbed Galvalume Stress Plate - Used With GYPTEK Fastener</i>	2"
	PlyFast 3" GYPTEK Plate	<i>3" Barbed Galvalume Stress Plate - Used With GYPTEK Fastener</i>	3"
	PlyFast GYPTEK Fastener	<i>Nylon Auger</i>	2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 6-1/2", 7", 7-1/2", 8", 8-1/2", 9", 9-1/2", 10", 10-1/2", 11", 11-1/2", 12", 13"
	PlyFast Peel Rivet	<i>Peel Rivet</i>	1-1/2", 2", 3", 4", 5", 6", 7", 8", 9", 10"
	PlyFast Steel Lite-Dek Fastener	<i>Steel Lite Deck Fastener</i>	2-5/8", 3", 4", 5", 6", 7", 8", 9", 10", 12"

Fastener Plates

	<p>PlyFast 2.4" Barbed Auto Plate</p>	<p><i>2.4" Round Barbed Stress Plate; Automated Delivery</i></p>	<p>2.4"</p>
	<p>PlyFast 2.4" Barbed Plate</p>	<p><i>2.4" 20 Gauge Barbed Plate</i></p>	<p>2.4"</p>
	<p>PlyFast 2" Barbed Plate</p>	<p><i>2" Barbed Galvalume Stress Plate</i></p>	<p>2"</p>
	<p>PlyFast 2" Seam Plate</p>	<p><i>2" Round Galvalume Stress Plate</i></p>	<p>2"</p>
	<p>PlyFast 3" LiteDek Plate</p>	<p><i>3" Round Galvalume Stress Plate - Used With Steel Lite Deck Fastener</i></p>	<p>3"</p>
	<p>PlyFast 3" Metal Plate</p>	<p><i>3" Round Galvalume Stress Plate</i></p>	<p>3"</p>
	<p>PlyFast 3" Plastic Lock Plate</p>	<p><i>3" Round Plastic Stress Plate</i></p>	<p>3"</p>

Fastener Plates (cont.)			
	PlyFast 70mm Square Plate	<i>70mm x 70mm Square Galvalume Stress Plate</i>	70mm x 70mm
	PlyFast 82x40 Plate	<i>82mm x 40mm Galvalume Stress Plate</i>	82mm x 40mm
	PlyFast AccuTrak Plate	<i>70mm x 70mm Square Galvalume Stress Plate</i>	70mm x 70mm
	PlyFast Metal Hex Plate	<i>2-7/8" Galvalume Hex Stress Plate</i>	2-7/8"
	PlyFast Plastic Thermal Break Tube Plate	<i>3" Round Plastic Stress Plate With Integral Thermal Break Tube</i>	4-1/8", 5-1/4", 6-1/2", 8-7/8", 10", 11-1/4"
	PlyFast Recessed Metal Plate	<i>2-7/8" Galvalume Hex Stress Plate with Center Recess</i>	2-7/8", 3"
Termination Bars			
	PlyFast TB-50	<i>Sealant Ledge - Extruded Aluminum</i>	.050"
	PlyFast TB-75	<i>Sealant Ledge - Extruded Aluminum</i>	.075"



U.S. PLY, INC.

Corporate Headquarters: P.O. Box 1182, Bridgeport, Texas 76426

Corporate: (817) 413-0103 • Technical: (817) 413-0103

Phone: (817) 413-0103 • Fax: (817) 413-8221

www.usply.com